

Tráfego / Função Predominante	Número "N" Característico	Espessura de CBUQ Existente	Base em Boas Condições Estruturais	Tipo de Reparo a Ser Executado	Novas Camadas a Serem Executadas			
					Espessuras Para Execução de Novas Camadas de Base e/ou Sub- Base Granulares		CBUQ	
					Número de Camadas	Espessura de Compactação	Número de Camadas	Espessura Total
Leve / Via Local Residencial	1,00E+05	$esp \leq 6,0 \text{ cm}$	Sim	Superficial	-	-	1	6,0 cm (máximo)
			Não	Profundo	1	$10,0 \text{ cm} \geq esp \geq 15,0 \text{ cm}$		
Médio / Via Coletora Secundária	5,00E+05	$6,0 \text{ cm} < esp < 10,0 \text{ cm}$	Sim	Superficial	-	-	1 ou 2	10,0 cm (máximo)
			Não	Profundo	1 ou 2	$10,0 \text{ cm} \geq esp \geq 15,0 \text{ cm}$		
Meio Pesado / Via Coletora Principal	2,00E+06	$10,0 \text{ cm} < esp < 15,0 \text{ cm}$	Sim	Superficial	-	-	2 ou 3	15,0 cm (máximo)
			Não	Profundo	1 ou 2	$10,0 \text{ cm} \geq esp \geq 15,0 \text{ cm}$		
Pesado / Via Arterial	2,00E+07	$10,0 \text{ cm} < esp < 15,0 \text{ cm}$	Sim	Superficial	-	-	2 ou 3	15,0 cm (máximo)
			Não	Profundo	1, 2 ou 3	$10,0 \text{ cm} \geq esp \geq 15,0 \text{ cm}$		
Muito pesado / Via Arterial Principal / Via Espressa	5,00E+07	$esp \geq 15,0 \text{ cm}$	Sim	Superficial	-	-	3 ou mais	15,0 cm ou superior
			Não	Profundo	1, 2 ou 3	$10,0 \text{ cm} \geq esp \geq 15,0 \text{ cm}$		